Approved For Release 2002/06/05 : CIA-RDP75B00621R000200080001-7

ARCHIVES COMIREX-M-60

Control Number	Date	Сору	Document Number and Subject
SC-07410-62	27 Jul 62	29	COMOR-D-60, subj: Review of Overflight Reconnaissance
	· · · · · · · · · · · · · · · · · · ·	ARCHIVES MIREX-M-61	
Control Number	<u>Date</u>	и и и и и и и и и и и и и и и и и и и	Document Number and Subject
TCS-14255-62-KH	10 Dec 62	33	COMOR-D-61/2, subj: Requirements Program for Satellite Photography of Priority Objectives
TCS-13173-62-KH Series B	5 Sept 62	30	COMOR-D-61/1, subj: NPIC Photographic Quality Requirements
TCS-13211-62-KH	20 Aug 62	30	COMOR-D-61, subj : Essential Elements of Information Required From Satellite Reconnaissance
		AD CHILIDS	
25X1A	•	ARCHIVES MIREX-M-62	
Control Number	<u>Date</u>	. Copy	Document Number and Subject
	22 Apr 63	43	COMOR-D-62/1, subj: Distribution of Technical Intelligence Photography
TCS-13815-62-KH	12 Oct 62	32	COMOR-D-62, subj: Requirements for Initial Film and Distribution Schedule for 722 Program

Handle Appiroved For Wetease	OP SECRET 2002/06/05 : CIA-RDP75B00621R000200080001-7
KEYHOLE Controls	COMOR-D-61/2
this proper la	hul czahlaks. 10 December 1962
MEMORANDUM FOR:	Committee on Cverhead Reconnaissance
SUBJECT:	Requirements Frogram for Satellite Photography of Priority Objectives
draft requirements pro priority objectives.	l for consideration of the COMOR is a gram for satellite photography of highest
mitted to the (S) NRO (From Satellite Reconnection the National Photograp the quality of photogram (COMOR-D-61/1), wou photographic capability resolution and scale.	e recalled that COMOR has already trans- 'Essential Elements of Information Required aissance, '' COMOR-D-61, which, along with hic Interpretation Center's examination of phy necessary to answer the requirements ald give the operator some notion of the y he should seek to achieve in terms of
3. The attraction of the frequency with which (coverage obtained.	ached paper deals with the subject of the COMOR might like to see photographic
4. This do	ne December 13 meeting.
25X1A	
	James Q. Reber Chairman
Con	nmittee on Overhead Reconnaissance
l Attachment: Subjec	t paper 25X1A
Copies 2,3State TO 4DIA 5,6,7,8DIA TC	TCS-14255-62-KH Copy 33 of 35
9OACIS 10ONI T'C	TCO O Handle via TALENT-
11, 12AFCIN Approyed For Selease 15NRO T	GROUP 1 GRO

Handl Approved For Release 2002/06/05: CIA-RDP75B00621R000200080001-7
KEYHOLE Controls

COMOR-D-61/2

D R A F T

SUBJECT: Requirements Program for Satellite Photography of Priority Objectives

program has furnished a basis for determining the minimum amount of coverage needed to satisfy most of our highest priority intelligence requirements. In establishing the intervals at which this coverage should be obtained, the following factors were considered:

- a. The average time lapses permissible in coverage of the various types of targets,
- b. The average optimum time lapses for purposes of comparative coverage, and
- c. The time required to process and interpret the results of a mission to a degree which will permit review of the highest priority objectives and revision or refinement of the target listings and requirements.

2

TCS-14255-62-KH

Approved For Release 2002/06/05: CIA-RDP75B00621R000200080001-7
Handle via The ENT KEYHOLE Controls

COMOR-D-61/2

2. On this basis the following reconnaissance schedule is recommended by the COMOR:

a. Coverage of all targets at to-day intervals during March through September, months when daylight and weather conditions are favorable:

b. Coverage of all targets at 15-day intervals during the winter months, when adverse weather conditions and inadequate daylight render missions less productive.

priority targets after each successful mission, taking into consideration the photographic interpretation provided by the NPIC. The results of this systematic re-examination of intelligence objectives will be made available immediately to the member agencies of the COMOR, and the (S) National Reconnaissance Office will be kept apprised of changes in targets as the reconnaissance program progresses.

Lt is also recommended that a standby reconnaissance capability be provided for use on call in crisis situations. This satellite system should incorporate a vehicle

3

TCS-14255-62-KH

Handle via TALENTApproved For Release 2002/06/05: CIA-RDP75B00621R000200080001-7
TOP SECRET

4

TOP SECRET Hand Approved For Release 2002/06/05: CIA-RDP75B00621R000200080001-7 KEYHOLE Controls

	COMOR-D-61/2	
· wi	the type of Vargot's designable as boundle	udicalias
25X1A	programmed against the relatively few targets specified in the will be	Penns Lord
	sentative selection of targets, and as many as possible, during	
	each day's orbits. This capability should include provision	25X1A
	for immediate replacement of vehicles fired and a means for	
	these vehicles taking priority over other firings in the U.S.	
	satellite schedule.	

4

TCS-14255-62-KH

Hand Apptaved For Release 2002/06/05: CIA-RDP75Bee621R000200080001-7 KEYHOLE Controls COMOR-D-61/2

Copies

1--DCI TCO

16--DCI TCO for USIB/S

17, 18--DIR NPIC

19--C/CIA/PAD(NPIC)

20--C/DMD/NPIC

21--LS/CIA/PAD(NPIC)

22--TSO CIA

23--DDI TCO

24--OCI TCO

25,26--OSI TCO

27--ORR TCO

28--DDP TCO

29--DDR TCO

30-AD/OSA

31--Intel/OSA

32--SO'/OSA

33-35--C/SRS/DDR

HANDLE APPROVED FOR Release 2002/06/05: CIA-RDP75B60621R000200080001-7 KEYHOLE SYSTEM ONLY



5 September 1962

MEMORANDUM FOR:

Committee on Overhead Reconnaissance

SUBJECT:

NPIC Photographic Quality Requirements

Attached for the information and reference of the COMOR is a memorandum submitted by NPIC to the D/NRO on the above subject. It will be noted that NPIC utilized the COMOR paper "Essential Elements of Information Required from Satellite Reconnaissance" (COMOR-D-61) in the preparation of its paper.

James Q. Reber

Chairman

Committee on Overhead Reconnaissance

Attachment:

Subject papers

Copies 2, 3--State TCO

4--DIA

5, 6, 7, 8-DIA TCO

9--OACSI TCO

25X1A

10:--ONI TCO

11, 12 -- AFCIN TCO

13, 14 -- NSA TCO

25X1A

Series B TCS-13173-62-KH Copy 30 of 33

28 August 1962

MEMORANDUM FOR:

Director, National Reconnaissance Office

THROUGH:

Deputy Director (Research) CIA

SUBJECT:

NPIC Photographic Quality Requirements

REFERENCES:

- (a) Memorandum from Director, National Reconnaissance Office, to Director, NPIC, dtd 15 August 1962; Subject: Photographic Interpretation Resolution Requirements
- (b) COMOR-D-61, dtd 20 August 1962; Subject: Essential Elements of Information Required from Satellite Reconnaissance
- (c) Intelligence Requirements for Satellite Reconnaissance Systems of which SAMOS is an Example, dtd 5 July 1960 (USIB-D-33.6/8 SECRET
- 1. Reference (a) requests NPIC to provide a statement of photographic interpretation criteria for quality required to obtain various levels of information on priority target types designated by COMOR. Reference (b) is a list of targets prepared by COMOR in response to this problem. Reference (c) is an earlier USIB paper which addresses the general problem raised by Reference (a).
- 2. The problem of evaluating the utility of various levels of photographic quality has been discussed during the past several weeks within NPIC with the various Departments represented here. It has proven to be most elusive. Everyone can talk around the subject at length and in most interesting fashion, but converting this to useful resolution figures for the collector is difficult. Some background caveats are summarized briefly as follows:
 - a. Ground resolution measured in feet in terms of minimum object dimension recognizable has become a generally accepted reference for relative photographic interpretability. As such, it has many limitations and it should be used with caution. However, because of its convenience and, in the absence of a better single descriptive term, it has been utilized at NPIC for the purposes of this paper.

Series:	BTCS-13	173-62-кн
	COPY	\mathbf{of}

HANDLE VIA TALF KEYHOLE APORTYPE FOR Release 2002/08/05/RETA-RDP75B00621R000020008D0061-71

	b. Particularly as resolutions improve, the ability to make precise measurements becomes as critical as ability to recognize in terms of object size. We may be able to recognize an object approximately on a side (or less), but sharp edges (high acutance) and accurate camera parameters (both interior and exterior orientation) are essential for measurements to identify detail and describe function.	25X1D
	c. The utility of a given resolution frequently depends on collateral. We currently can do a lot with tenfoot KH resolution because we had earlier TALENT photography and other intelligence information. Obviously, the more dependence to be placed on photography alone, the better the resolution required.	25X1A
25X1D	d. Possible camouflage and deception practices are cause for concern in establishing resolution goals. Again, increased resolution will help, but this is possibly less We have so far been unable to associate a specific resolution figure	
	with a requirement	25X1D
typi The diti to w esti conv and	3. With some of the above reservations in mind, various groups in NPIC have attempted to assign resolution figures to targets cal of requirements placed on the NPIC for interpretation. resolution figures are judgement only, based on "average" consons and current collateral sources; no attempt has been made eight targets for value; and no attempt has been made to mate how requirements might change in the future. As a enient vehicle for presentation we have taken Reference (b) assigned resolution figures to each target type listed therein. results are given in Enclosure 1.	
with	4. As a result of analyses of the type described above and ral discussions within NPIC, the following comments, combined Inclosure 1, are offered at this time (these have not been y coordinated with the Departments represented at NPIC):	
25X1D	a. The current KH-4 system, when functioning properly, is providing excellent surveillance photography at somewhere around ten-foot ground resolution. It is meeting first priority requirements as defined in Reference (c) and partially meeting second priority requirements. It is providing us with good indicators as to where more detailed and precise sensors are required. Combined with earlier TALENT photography, in some cases it is permitting judgements to be made as to identification of new weapons systems	25X1D
23 ID	Possibly well over 50 percent	

Series B TCS-13173-62-KH

HANDLEAND Release 2002/06/05: CIA-RDP75B00621R000200080001-7 KEYHOLE SYSTEM LY

of the volume of current requirements placed on us can be met by KH-4 at its best. (However, this figure is influenced by the fact that requestors partially tailor their requests to the suitability of the materials.)

There is an urgent requirement for resolutions in

the one to two foot range applied against specific targets for technical intelligence (as opposed to broad-scale surveillance). Particularly in the absence of collateral, we will never be able to answer many requirements until this resolution is achieved
c. With respect to resolutions the photo interpreter will always want something better than he currently has on his desk. However, minor intermental improvements at the upper end of the scale are not worthwhile if they are costly or jeopardize the broad surveillance program or the technical intelligence goal. At NPIC we cannot single out in terms of targets any significant
capabilities in a qualitative sense and which would permit some technical intelligence.
d. The USIB should be requested to review Reference (c) and bring it up to date. This will not meet the immediate problem on a timely basis but should be useful for future reference. We consider that the photographic portion of Reference (c) is an excellent discussion of the problem,

1 Enclosure-Analysis of COMOR-D-61

guidelines.

25X1D

Series B

25X1A

Acting Director

TCS-13173-62-KH

25X1D

25X1D

25X1D

25X1D

basically still applicable today but possible somewhat general. The experience of two years of KH should permit more definitive

ANALYSIS OF COMOR-D-61

COMOR-D-61, 20 August 1962, lists a number of targets which represent essential elements of information for the intelligence community.

A joint NPIC team spent one day going over the target list and assigning to each target an estimated object size resolution figure required to analyze the target so as to provide the desired intelligence. The results of this study are given in Attachment 1 and summarized in Attachment 2.

The following considerations are pertinent to the resolution figures presented in these attachments:

- a. The target list is not weighted, contains duplicate types of entries and numerically emphasizes some categories at the expense of others. Hence the actual number or percentage of targets associated with a given resolution does not necessarily reflect the over-all utility or value of that particular resolution.
- b. Initially, the team attempted to assign discrete values to each target, but it soon developed that individuals were unable to make judgments on a minor incremental basis. After a general study of the target categories it was agreed that the following resolution values were the most definitive that could be assigned (figures in feet): 10, 5, 2, 1, and less than 1.
- c. The 10-foot figure was selected to correspond to current KH-4 products under optimum conditions. Many of the targets could be described with poorer resolution than 10 feet, but is was felt that nothing was to be gained by assigning values below current capabilities. In general, this value (10 feet) adequately covers most surveillance targets.

25X1D 25X1D	d. At the lower end of the scale, judgments are difficult. The team members all had considerable experience with TALENT photography which in their judgment generally equated resolution as a vardstick. Since they have limited or no
	experience with resolution or under, these values were relative and were based on object size identification associated with target details for technical intelligence.
25X1D	

Series B TCS-13173-62-KH Page 1 25X1D

HANDLE VIA TALENT. KEYHOER PROVER FOR Release 2002/06665 CREATRDP75B00621R0002000889017-61/1

f. In a number of cases the target descriptions were ambiguous or not clear as to translation to photo analysis requirements. Further conferences with intelligence analysts would be required to clarify.

2 Attachments-

1 - Resolution Associated with COMOR Targets

2 - Summary Sheet

Series B

Enclosure 1 to TCS-13173-62-KH Page 2 **Next 4 Page(s) In Document Exempt**

HANDLE AND FOR Release 2002/06/05: CIA-RDP75B00621R000200080001-7 KEYHOLE SYSTEM ONLY

COMOR - D - 61/1

Copies 1--DCI TCO

15, 16 -- DIR NPIC

17--C/CIA/PAD(NPIC)

18--C/DMD/NPIC

19--LS/CIA/PAD(NPIC)

20--TSO CIA

21--DDI TCO

22--OCI TCO

23--OSI TCO

24--ORR TCO

25--DDP TCO

26--DDR

27--AD/OSA

28--Intel/OSA

29--SO/OSA

30-33--C/SRS/OSA/DDR

C/SRS COMOR General Zi

HANDLE VIA ANADEMIE For Release 2002/05/05: CIA-RDP75B00621R000200080001-7 KEYHOLE SYSTEM ONLY

COMOR-D-61

2() August 1962

MEMORANDUM FOR:

Committee on Overhead Reconnaissance

SUBJECT:

Essential Elements of Information Required

From Satellite Reconnaissance

- The attached list of the essential elements of information has been prepared by COMOR in response to a request by the Deputy Director (Research), CIA, on behalf of the Director of the National Reconnaissance Office (TS). Through the use of asterisks as indicated the elements are identified as pertinent to surveillance or to technical intelligence.
- This document will be examined by the National Photographic Interpretation Center for the purpose of defining the technical parameters which would affect the selection of photographic sensors to permit the necessary photo interpretation.

This is distributed to the Committee for information and reference and will be made available to the DDR/CIA for transmittal to the D/NRO (TS).

> James Q. Reber Chairman on Overhead Reconnaissance

Attachment: Subject Papers

Copies 2,3--State TCO 4--DIA |

5, 6, 7--DIA TCO

8--OACSI TCO

9--ONI TCO

10,11--AFCIN TCO

12,13--NSA TCO

25X1A

TCS-13211-62-KH

25X1A

Copy 30 of 32

Next 14 Page(s) In Document Exempt

TOP SECRET Approved For Release 2002/06/05 : CIA-RDP75B6621R000200080001-7

HANDLE VIA TALENT-KEYHOLE SYSTEM ONLY

COMOR-D-61)/1

```
1--DCI TCO
Сору
   14, 15--DIR NPIC
       16--C/CIA/PAD(NPIC)
       17--C/DMD/NPIC
       18--LS/CIA/PAD(NPIC)
       19--TSO CIA
       20--DDI(P) TCO
       21--OCI TCO
       22--OSI TCO
       23--ORR TCO
   24, 25--DDP TCO
       26--DDR
       27--AD/OSA
       28--Intel/OSA
       29--SO/OSA
    30-32--C/SRS/OSA/DDR
```